

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	34	second adj switch\$4 and generat\$4 with rout\$4 adj4 data and ports	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 06:43
L2	45	second adj switch\$4 and generat\$4 with rout\$4 adj4 data and ports	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 06:43
L3	30	second adj switch\$4 and generat\$4 with rout\$4 adj4 data and ports	USPAT	OR	ON	2004/11/19 06:43
L4	6	3 and fabric	USPAT	OR	ON	2004/11/19 07:36
L5	24	3 not 4	USPAT	OR	ON	2004/11/19 07:37
L6	26	(load and balancing and (switch\$3 or rout\$3)).ti.	USPAT	OR	ON	2004/11/19 07:51
L9	16	6 and ((add\$3 or insert\$3) with rout\$3 or gateway)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 07:39
L10	123	(load and balancing and (switch\$3 or rout\$3)).ab.	USPAT	OR	ON	2004/11/19 07:51
L11	113	10 not 6	USPAT	OR	ON	2004/11/19 07:51
L12	11	11 and fabric	USPAT	OR	ON	2004/11/19 08:26
L13	6	12 and (buffer or memor\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 08:30
L14	0	((select\$3 or determin\$3) near2 switch\$3) same (load adj balanc\$3) same (buffer or memor\$3) and (add\$3 adj4 (rout\$3 or path\$3))	USPAT	OR	ON	2004/11/19 08:34
L15	0	((select\$3 or determin\$3) near2 switch\$3) same (load adj balanc\$3) same (buffer or memor\$3) and ((add\$3 or insert\$3) adj4 (rout\$3 or path\$3))	USPAT	OR	ON	2004/11/19 08:34
L16	1	((select\$3 or determin\$3) near2 switch\$3) same (load adj balanc\$3) same (buffer or memor\$3) and ((add\$3 or insert\$3) adj4 (rout\$3 or path\$3))	US-PGPUB	OR	ON	2004/11/19 08:36

L17	1249	(buffer\$ or memor\$3) with (select\$3 or determin\$3) with (switch\$3 or rout\$3) and ((add\$3 or insert\$3) adj4 (rout\$3 or path\$3))	USPAT	OR	ON	2004/11/19 08:38
L18	1249	((buffer\$ or memor\$3) with (select\$3 or determin\$3) with (switch\$3 or rout\$3)) and ((add\$3 or insert\$3) adj4 (rout\$3 or path\$3))	USPAT	OR	ON	2004/11/19 08:39
L19	3	((buffer\$ or memor\$3) with (select\$3 or determin\$3) with (multiple adj2 (switch\$3 or rout\$3))) and ((add\$3 or insert\$3) adj4 (rout\$3 or path\$3))	USPAT	OR	ON	2004/11/19 08:43
L20	12	((buffer\$ or memor\$3) with (select\$3 or determin\$3) with (multiple adj2 (switch\$3 or rout\$3))) and ((add\$3 or insert\$3 or connect\$3 or creat\$3) adj4 (rout\$3 or path\$3))	USPAT	OR	ON	2004/11/19 09:06
L21	9	20 not 19	USPAT	OR	ON	2004/11/19 08:50
L22	2	21 and ((generat\$ or add\$3) with rout\$)	USPAT	OR	ON	2004/11/19 08:52
L23	0	((buffer\$ or memor\$3) with (select\$3 or determin\$3) with (multiple adj2 (switch\$3 or rout\$3))) and ((generat\$3 or creat\$3) adj2 (rout\$3 or path\$3) same (add\$3 or insert\$3 or connect\$3) adj2 (rout\$3 or path\$3))	USPAT	OR	ON	2004/11/19 09:08
L24	950	(select\$3 or determin\$3) with multiple adj2 (switch\$3 or rout\$3)	USPAT	OR	ON	2004/11/19 09:40
L25	5491	(generat\$3 or creat\$3) with (add\$3 or insert\$3) with (rout\$3 or path\$3)	USPAT	OR	ON	2004/11/19 09:10
L26	0	24 same 25	USPAT	OR	ON	2004/11/19 09:10
L27	22	24 and 25	USPAT	OR	ON	2004/11/19 09:36
L29	5	27 and fabric and port\$1	USPAT	OR	ON	2004/11/19 09:36
L30	6	27 and fabric	USPAT	OR	ON	2004/11/19 09:36
L31	2	27 and ((select\$ or determin\$) adj4 port\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 09:40
L32	1014748	(select\$3 or determin\$3) with (switch\$3 or rout\$3) same second (switch\$3 or rout\$3)	USPAT	OR	ON	2004/11/19 09:47
L33	2003	32 same 25	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 09:41

L34	79	33 and fabric	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 09:41
L35	18	34 and destin\$5 adj3 port\$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 09:42
L36	18	34 and destin\$5 adj3 port\$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 09:42
L37	572	(select\$3 or determin\$3) with (second adj3 switch\$3 or rout\$3) same (multi\$3 adj2 (path\$3 or rout\$3) or multi-path\$3 or multipath\$3)	USPAT	OR	ON	2004/11/19 09:49
L38	45	37 and 25	USPAT	OR	ON	2004/11/19 09:49
L39	7	38 and fabric	USPAT	OR	ON	2004/11/19 09:55
L40	38	38 not 39	USPAT	OR	ON	2004/11/19 09:58
L41	2	40 and ((buffer\$1 or memor\$3) adj3 coupl\$3)	USPAT	OR	ON	2004/11/19 09:59
S1	0	fabric near2 switch\$ and mask and asic and load near2 balanc\$ and "ANDing" and "ORing"	US-PGPUB; USPAT	OR	ON	2004/11/17 15:53
S2	34	fabric near2 switch\$ and mask and asic and load near2 balanc\$ and bit and concaten\$	US-PGPUB; USPAT	OR	ON	2004/11/18 08:48
S3	12	fabric near2 switch\$ and mask and asic and load near2 balanc\$ and bit and concaten\$	USPAT	OR	ON	2004/11/17 16:02
S4	22	S2 not S3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 08:48
S5	0	fabric near2 switch\$ and mask and asic and load near2 balanc\$ and bit and concaten\$ and ((center or central or back) near2 plan\$3)	US-PGPUB; USPAT	OR	ON	2004/11/18 08:49
S6	31	fabric near2 switch\$ and mask and asic and load near2 balanc\$ and bit and concaten\$ and (center or central or back)	US-PGPUB; USPAT	OR	ON	2004/11/18 08:50
S7	4	S6 and cisco.as.	US-PGPUB; USPAT	OR	ON	2004/11/18 08:52

S9	27	S6 not S7	US-PGPUB; USPAT	OR	ON	2004/11/18 08:54
S10	0	S9 and @ad<"20010316" and @rlad<"20010316" and @rlan<"20010316"	US-PGPUB; USPAT	OR	ON	2004/11/18 08:56
S11	9	S9 and (@ad<"20010316" or @rlad<"20010316" or @rlan<"20010316")	US-PGPUB; USPAT	OR	ON	2004/11/18 09:09
S12	82	(brocade.as. or mcdata.as.) and (fabric near2 switch\$)	US-PGPUB; USPAT	OR	ON	2004/11/18 09:10
S13	26	(brocade.as. or mcdata.as.) and (fabric near2 switch\$)	USPAT	OR	ON	2004/11/18 13:36
S16	0	(brocade.as. or mcdata.as.) and (fabric near2 switch\$) and (bit with itsel\$)	USPAT	OR	ON	2004/11/18 13:38
S17	5469	(bit with itsel\$) and switch\$3	USPAT	OR	ON	2004/11/18 13:39
S18	2241	(bit with itsel\$) and switch\$3 and (memor\$3 or buffer\$) and and\$3 and (concat\$ or append\$)	USPAT	OR	ON	2004/11/18 13:40
S19	1181	S18 and address\$ and port\$1	USPAT	OR	ON	2004/11/18 13:41
S20	80	S19 and line adj card\$1	USPAT	OR	ON	2004/11/18 13:41
S21	78	S20 and load	USPAT	OR	ON	2004/11/18 13:41
S22	0	S20 and load near2 balanc\$3	USPAT	OR	ON	2004/11/18 13:42
S23	0	S20 and load\$1 near3 balanc\$3	USPAT	OR	ON	2004/11/18 13:42
S24	15	S20 and load\$1 near3 shar\$3	USPAT	OR	ON	2004/11/18 13:45
S25	10507	load near2 balanc\$	USPAT	OR	ON	2004/11/18 13:45
S26	785835	switch\$3	USPAT	OR	ON	2004/11/18 13:45
S27	506	S25 with S26	USPAT	OR	ON	2004/11/18 13:46
S28	74	S27 and fabric	USPAT	OR	ON	2004/11/18 13:46
S29	5	S28 and line near2 card	USPAT	OR	ON	2004/11/18 13:46
S30	2	S29 and concat\$	USPAT	OR	ON	2004/11/18 13:46
S31	1	S30 and bit\$1 and mask\$	USPAT	OR	ON	2004/11/18 13:47
S32	13	("5408469"   "5481536"   "5560038"   "5859550"   "5881242"   "6054942"   "6061349"   "6115385"   "6131117"   "6226771"   "6233243"   "6480468"   "6487211").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/18 13:48
S33	13	("5408469"   "5481536"   "5560038"   "5859550"   "5881242"   "6054942"   "6061349"   "6115385"   "6131117"   "6226771"   "6233243"   "6480468"   "6487211").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/18 16:55

S34	168	fabric near2 switch with rout\$3 with path\$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 06:42
S35	0	S34 same ((add\$3 or insert\$3) with rout\$3 with destin\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:58

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	34	second adj switch\$4 and generat\$4 with rout\$4 adj4 data and ports	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 06:43
L2	45	second adj switch\$4 and generat\$4 with rout\$4 adj4 data and ports	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 06:43
L3	30	second adj switch\$4 and generat\$4 with rout\$4 adj4 data and ports	USPAT	OR	ON	2004/11/19 06:43
L4	6	3 and fabric	USPAT	OR	ON	2004/11/19 07:36
L5	24	3 not 4	USPAT	OR	ON	2004/11/19 07:37
L6	26	(load and balancing and (switch\$3 or rout\$3)).ti.	USPAT	OR	ON	2004/11/19 07:51
L9	16	6 and ((add\$3 or insert\$3) with rout\$3 or gateway)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 07:39
L10	123	(load and balancing and (switch\$3 or rout\$3)).ab.	USPAT	OR	ON	2004/11/19 07:51
L11	113	10 not 6	USPAT	OR	ON	2004/11/19 07:51
L12	11	11 and fabric	USPAT	OR	ON	2004/11/19 08:26
L13	6	12 and (buffer or memor\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 08:30
L14	0	((select\$3 or determin\$3) near2 switch\$3) same (load adj balanc\$3) same (buffer or memor\$3) and (add\$3 adj4 (rout\$3 or path\$3))	USPAT	OR	ON	2004/11/19 08:34
L15	0	((select\$3 or determin\$3) near2 switch\$3) same (load adj balanc\$3) same (buffer or memor\$3) and ((add\$3 or insert\$3) adj4 (rout\$3 or path\$3))	USPAT	OR	ON	2004/11/19 08:34
L16	1	((select\$3 or determin\$3) near2 switch\$3) same (load adj balanc\$3) same (buffer or memor\$3) and ((add\$3 or insert\$3) adj4 (rout\$3 or path\$3))	US-PGPUB	OR	ON	2004/11/19 08:36

L17	1249	(buffer\$ or memor\$3) with (select\$3 or determin\$3) with (switch\$3 or rout\$3) and ((add\$3 or insert\$3) adj4 (rout\$3 or path\$3))	USPAT	OR	ON	2004/11/19 08:38
L18	1249	((buffer\$ or memor\$3) with (select\$3 or determin\$3) with (switch\$3 or rout\$3)) and ((add\$3 or insert\$3) adj4 (rout\$3 or path\$3))	USPAT	OR	ON	2004/11/19 08:39
L19	3	((buffer\$ or memor\$3) with (select\$3 or determin\$3) with (multiple adj2 (switch\$3 or rout\$3))) and ((add\$3 or insert\$3) adj4 (rout\$3 or path\$3))	USPAT	OR	ON	2004/11/19 08:43
L20	12	((buffer\$ or memor\$3) with (select\$3 or determin\$3) with (multiple adj2 (switch\$3 or rout\$3))) and ((add\$3 or insert\$3 or connect\$3 or creat\$3) adj4 (rout\$3 or path\$3))	USPAT	OR	ON	2004/11/19 09:06
L21	9	20 not 19	USPAT	OR	ON	2004/11/19 08:50
L22	2	21 and ((generat\$ or add\$3) with rout\$)	USPAT	OR	ON	2004/11/19 08:52
L23	0	((buffer\$ or memor\$3) with (select\$3 or determin\$3) with (multiple adj2 (switch\$3 or rout\$3))) and ((generat\$3 or creat\$3) adj2 (rout\$3 or path\$3) same (add\$3 or insert\$3 or connect\$3) adj2 (rout\$3 or path\$3))	USPAT	OR	ON	2004/11/19 09:08
L24	950	(select\$3 or determin\$3) with multiple adj2 (switch\$3 or rout\$3)	USPAT	OR	ON	2004/11/19 09:40
L25	5491	(generat\$3 or creat\$3) with (add\$3 or insert\$3) with (rout\$3 or path\$3)	USPAT	OR	ON	2004/11/19 09:10
L26	0	24 same 25	USPAT	OR	ON	2004/11/19 09:10
L27	22	24 and 25	USPAT	OR	ON	2004/11/19 09:36
L29	5	27 and fabric and port\$1	USPAT	OR	ON	2004/11/19 09:36
L30	6	27 and fabric	USPAT	OR	ON	2004/11/19 09:36
L31	2	27 and ((select\$ or determin\$) adj4 port\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 09:40
L32	1014748	(select\$3 or determin\$3) with (switch\$3 or rout\$3) same second (switch\$3 or rout\$3)	USPAT	OR	ON	2004/11/19 09:47

L33	2003	32 same 25	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 09:41
L34	79	33 and fabric	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 09:41
L35	18	34 and destin\$5 adj3 port\$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 09:42
L36	18	34 and destin\$5 adj3 port\$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 09:42
L37	572	(select\$3 or determin\$3) with (second adj3 switch\$3 or rout\$3) same (multi\$3 adj2 (path\$3 or rout\$3) or multi-path\$3 or multipath\$3)	USPAT	OR	ON	2004/11/19 09:49
L38	45	37 and 25	USPAT	OR	ON	2004/11/19 09:49
L39	7	38 and fabric	USPAT	OR	ON	2004/11/19 09:55
L40	38	38 not 39	USPAT	OR	ON	2004/11/19 09:58
L41	2	40 and ((buffer\$1 or memor\$3) adj3 coupl\$3)	USPAT	OR	ON	2004/11/19 09:59



Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	435	ip adj2 header\$1 with (gateway or rout\$3)	USPAT	OR	ON	2004/11/19 11:08
L2	93823	(determin\$3 or select\$3) adj2 (switch\$ or rout\$3 or gateway\$1)	USPAT	OR	ON	2004/11/19 11:07
L3	763	2 and load adj balanc\$3	USPAT	OR	ON	2004/11/19 11:06
L4	763	(determin\$3 or select\$3) adj2 (switch\$ or rout\$3 or gateway\$1) and load adj balanc\$3	USPAT	OR	ON	2004/11/19 11:07
L5	93823	((determin\$3 or select\$3) adj2 (switch\$ or rout\$3 or gateway\$1))	USPAT	OR	ON	2004/11/19 12:27
L6	435	(ip adj2 header\$1 with (gateway or rout\$3))	USPAT	OR	ON	2004/11/19 12:27
L7	23	6 same 5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 11:13
L8	1	7 and fabric	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 11:09
L9	12	fabric adj2 switch with line adj cards	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 11:14
L10	12	(fabric adj2 switch with line adj cards)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 11:14
L11	12	(fabric adj2 switch\$1 with line adj cards)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 11:19
L12	0	11 same 6	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 11:14
L13	1688	((switch\$1 or rout\$3 or gateway\$) with line adj cards)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 11:23

L14	17	13 and 6	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 11:23
L16	16	14 and (buffer\$4 or memor\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 11:24
L17	9	16 and fabric	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 11:24
L19	1	("5781715").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/19 12:07
L20	1	"6597656".pn. and ((determin\$3 or select\$3) adj2 (switch\$ or rout\$3 or gateway\$1))	USPAT	OR	ON	2004/11/19 12:42
L21	0	"6795867".pn. and header\$ and port\$ and rout\$3	USPAT	OR	ON	2004/11/19 12:43
L22	0	"6795867".pn. and header\$ and rout\$3	USPAT	OR	ON	2004/11/19 12:43
L23	0	"6795867".pn. and header\$	USPAT	OR	ON	2004/11/19 12:43
L24	1	"6795867".pn. and port\$	USPAT	OR	ON	2004/11/19 12:43
L25	1	"6795867".pn. and port\$ and rout\$3	USPAT	OR	ON	2004/11/19 12:43
L26	1	"6795867".pn. and port\$ and rout\$3 and (select\$ or determin\$ or assign\$)	USPAT	OR	ON	2004/11/19 12:44
L27	0	26 and generat\$	USPAT	OR	ON	2004/11/19 12:44
L28	1	26 and add\$3	USPAT	OR	ON	2004/11/19 12:45